

GC-WAX 0.25 μ m*0.25 mm*60 m

Product Information

Catalog Number

GWAX0005

Use for

GC

Description

It adopts polar crossbond phase, as a general-purpose column for alkenols, glycols, and aldehydes, etc. It equivalent to USP G14, G15, G16, G20, G39 phase.

Material

fused silica

Phase

Crossbond, polyethylene glycol

Film Thickness(df)

0.25 μ m

ID.

0.25 mm

Length

60 m

Temperature Range

20 °C to 250 °C

Equivalent to USP (USP NUMBER)

G14, G15, G16, G20, G39
